### **RINGS ONLY**



'C' Rings (pack of 6) only for use with cylinder bracke	ts 19mm		28mm		35mm	
	Stainless Steel Effect	7345R	Stainless Steel Effect	1620R	Stainless Steel Effect	2200R
( `	Spun Brass Effect	7346R	Spun Brass Effect	1621R	Spun Brass Effect	2508R
	Black Nickel Effect	1689R	Black Nickel Effect	2183R	Black Nickel Effect	2552R
$\checkmark$	Chrome	1671R	Chrome	2163R	Chrome	2535R

### **JOINERS & CORNER JOINTS ONLY**

Joiner (single)	19mm		28mm		35mm	
	(length 98mm)		(length 120mm)		(length 120mm)	
	One Colour	1661R	One Colour	2135R	One Colour	2208R

Bay	Corner	Joint	(single)
-----	--------	-------	----------

19mm



28mm/35mm


			1			
	19mm		28mm		35mm	
	Stainless Steel Effect	7340R	Stainless Steel Effect	1610R	Stainless Steel Effect	2197R
	Spun Brass Effect	7342R	Spun Brass Effect	1611R	Spun Brass Effect	2505R
1	Black Nickel Effect	1687R	Black Nickel Effect	2178R	Black Nickel Effect	2549R
	Chrome	1669R	Chrome	2158R	Chrome	2522R



 $\square\square\square$ 

Rolls

$$19_{\text{mm}}/28_{\text{mm}}/35_{\text{mm}}$$
 diameter



#### O V E R V I E W


NEO IS AN AFFORDABLE RANGE OF SIMPLY MINIMAL METAL CURTAIN POLES AND CO-ORDINATED ACCESSORIES REFLECTING THE DESIRE FOR SLEEK DESIGN IN THE MODERN HOME.



THE 19MM, 28MM & 35MM RANGES ARE AVAILABLE IN FOUR CONTEMPORARY METAL FINISHES WITH A CHOICE OF FOUR FINIAL DESIGNS IN EACH DIAMETER.

FINIALS





### Q U A L I T Y

# THE QUALITY OF THE METAL AND THE ATTENTION TO DETAIL IN THE FITTINGS MAKE NEO A PLEASURE TO INSTALL AND USE.

**NEO POLES** ARE MADE FROM HEAVY GAUGE METAL; THE STAINLESS STEEL EFFECT POLE USES A REAL STAINLESS STEEL FOIL AND THE OTHER FINISHES ARE ELECTRO-PLATED MAKING THEM MORE DURABLE AND LESS PRONE TO CHIPPING.



## **Quality Brackets:**

The brackets shown, are solid cast. The extendable cup bracket (available in 28mm only) shown, enables the pole to be fixed to uneven points on your wall.

**Ouality Rings** 

and smoothly.

The solid, fixed eyelet, metal rings are

lined with nylon so that they run quietly






## THE COMPLETE PACK INCLUDES EVERYTHING YOU NEED

TO INSTALL YOUR CURTAIN POLE, INCLUDING BRACKETS AND RINGS.

Ball (Shown in Stainless Steel) Stainless Steel Effect 1606R/Size Spun Brass Effect 1607R/Size Chrome Effect 2155R/Size 2175R/Size Black Nickel Effect

Comes with Cylinder Bracket




**Ball** (Shown in Stainless Steel) Stainless Steel Effect 7100R/Size 7102R/<mark>Size</mark> Spun Brass Effect Chrome Effect 1662R/Size Black Nickel Effect 1680R/Size

Bullet (Shown in Black Nickel) Stainless Steel Effect 7106R/Size 7108R/Size Spun Brass Effect Chrome Effect 1664R/Size Black Nickel Effect 1682R/Size

Bullet (Shown in Chrome) Stainless Steel Effect 1602R/Size 1603R/Size Spun Brass Effect 2153R/Size Chrome Effect 2173R/Size Black Nickel Effect

Stud (Shown in Spun Brass) Stainless Steel Effect 7103R/Size 7105R/Size Spun Brass Effect Chrome Effect 1663R/Size 1681R/Size Black Nickel Effect

Trumpet (Shown in Chrome) Stainless Steel Effect 7109R/Size Spun Brass Effect 7111R/<mark>Size</mark> Chrome Effect 1665R/Size Black Nickel Effect 1683R/Size





Stud (Shown in Black Nickel) Stainless Steel Effect 1600R/Size 1601R/Size Spun Brass Effect 2152R/Size Chrome Effect 2172R/Size Black Nickel Effect

Trumpet (Shown in Spun Brass)

Stainless Steel Effect 1604R/Size Spun Brass Effect 1605R/Size Chrome Effect 2154R/Size Black Nickel Effect 2174R/Size





Comes with Cylinder Bracket




Size (cm)					
120	180	240	300	360	

### PACK CONTENTS FOR ALL POLE DIAMETERS

Pole Size	120cm	180cm	240cm	300cm	360cm*
Poles	1	1	1	2	2
Joining Piece				1	1
Brackets	2	2	2	3	3
Rings**	12	18	24	30	36
Finials	2	2	2	2	2

\*360cm pole only available in 35mm diameter \*\*Rings not contained in eyelet pole pack



 Ball
 (Shown in Black Nickel)

 Stainless Steel Effect
 2195R/Size

 Spun Brass Effect
 2503R/Size

 Chrome Effect
 2520R/Size

 Black Nickel Effect
 2547R/Size

Bullet (Shown in Spun Brass)

Spun Brass Effect

Black Nickel Effect

Chrome Effect

Stainless Steel Effect 2193R/Size

2501R/Size

2518R/Size

2545R/Size

# 28 mm EYELET POLE COMPLETE PACK

A 28mm complete pole pack without the rings to allow for an eyelet curtain heading. The bracket is an extendable cup with up to 155mm extension from wall to allow for depth of heading.



BulletStainless Steel Effect1629R/SizeSpun Brass Effect1630R/SizeChrome Effect2156R/SizeBlack Nickel Effect2176R/Size



Ball

Stainless Steel Effect1631R/SizeSpun Brass Effect1632R/SizeChrome Effect2151R/SizeBlack Nickel Effect2171R/Size

#### 128mm to 155mm fully extended

HOLDBACKS (SINGLE) - Finish off the look with a co-ordinating hold back.



Ball (same size for all) projection 95mmStainless Steel Effect7331RSpun Brass Effect7333RChrome Effect1666RBlack Nickel Effect1684R





Stainless Steel Effect2192R/SizeSpun Brass Effect2500R/SizeChrome Effect2517R/SizeBlack Nickel Effect2544R/Size



Trumpet (Shown in Chrome)Stainless Steel Effect2194R/SizeSpun Brass Effect2502R/SizeChrome Effect2519R/SizeBlack Nickel Effect2546R/Size

#### THE NEO CAPABILITES

## NEO COMPONENT RANGE

NEO WORKS WITH MOST WINDOW SHAPES AND SIZES INCLUDING BAYS AND RECESSES. IF YOU WANT SOMETHING DIFFERENT TO THE COMPLETE PACK YOU CAN MAKE YOUR OWN FROM COMPONENTS...

**SINGLE POLE** - Need to fix a wider window span? Prefer the cylinder bracket to the extendable 28mm bracket? Shown in 28mm Stainless Steel Effect with extendable Cup Bracket with Ball finial.




WALL FIXED - There are two types of wall bracket: the cylinder bracket and the 28mm only extendable cup bracket. Both are suitable as side or centre brackets.

Item	You will need:
a. Pole	Depends on window size. Single poles come in lengths of 120/150/180/240cm. For longer lengths two poles can be joined to make spans of up to 480cm.
b. Finials	1 pair
c. Brackets	2 brackets for single pole lengths, otherwise 3.
d. Rings	1 ring per 10cm
e. Joiner	If joining two poles together









**CEILING FIXED** - Use a ceiling bracket where there is limited space above the window or where the wall is weak.

As Wall Fixed but use Ceiling Bracket(s) (see table at back for coding)



C.

c.



**RECESS FIXED** - Enables pole to be fixed between walls, or to a side wall at one side.

As Wall Fixed but 1 recess bracket at each end. Centre bracket dependent on pole length.






19 mm

28 & 35mm

## **19/28MM DOUBLE POLE**

A double layer of curtains can be used for extra privacy, light filtering, warmth or simply for effect. A 28mm pole hangs at the front with a 19mm pole at the back. Used on straight windows.



Item	You will need:
a. Pole	19mm pole & 28mm pole. Quantity depends on window size. Single poles come in lengths of 120/150/180/240cm. For longer lengths two poles can be joined to make spans of up to 480cm.
b. Finials	1 x 19mm pair (suggest 'Stud'), 1 x 28mm pair
c. Brackets	2/3 Double Brackets dependent on pole length
d. Rings	1 ring per 10cm
e. Joiner	If joining two poles together



PLEASE SEE COMPONENT LIST FOR CATALOGUE NUMBERS

## **BAY WINDOWS**

Corner elbow joints, passing brackets and passing rings can be used to fit Neo to bay windows. As the corner joint is an 'elbow' design the curtain will need to be helped around it. Suitable for 2 bend bays; fixes to wall.



Works with 2 bend bays with up to 60° bends

Item	You will need:
a. Pole	Dependent on bay width. Single poles come in lengths of 120/150/180/240cm. Poles will need to be cut to size and joined at corner joints and in the centre.
b. Finials	1 pair
c. Brackets	4 Passover (one either side of corner joint). Used with the passing rings to allow the curtain to run past the brackets. 3 Wall brackets (2 at each side and 1 centre)
d. Rings	'C' Passing Rings. Passing Rings - 1 ring per 10cm. Allow the curtains to pass over the brackets.
e. Joiner	If joining two poles together



#### ORDERING COMPONENTS

**Components:** Follow the 'You will Need' guide. The catalogue numbers are overleaf. Here's an example: "I want to order a 28mm, Stainless Steel pole for a bay window. The window measures 3 metres."

## Step 1: The Pole

Select pole diameter & finish. When taking note of code add length of pole(s) required to item code.

Chosen Style	Catalogue Number	Quantity Needed
28mm, Stainless Steel Finish, 3m	2130R/150	2

### Step 2: Finials

Select finial designs & finish.

Chosen Style	Catalogue Number	Quantity Needed
Ball Finials, 28mm, Stainless Steel Finish	2131R	pair

## Step 3: Brackets

Select brackets & finish.

Chosen Style	Catalogue Number	Quantity Needed
Passover Brackets, 28mm, Stainless Steel Finish	1622R	4
Wall Brackets, 28mm cup, Stainless Steel Finish	1618R	3

## Step 4: Rings

Select rings & finish.

Chosen Style	Catalogue Number	Quantity Needed
C Rings, 28mm, Stainless Steel Finish	1620R	5 Packs

### Step 5: Joiner

Select joiner & finish.

Chosen Style	Catalogue Number	Quantity Needed
Joiner, 28mm, Stainless Steel Finish	2135R	1

## Step 6: Corner Joints

Select corner joints & finish.

Chosen Style	Catalogue Number	Quantity Needed
Bay Corner Joints, 28mm, Stainless Steel Finish	1610R	2

## Step 7: Holdbacks

Select holdbacks & finish.

Chosen Style	Catalogue Number	Quantity Needed
Holdbacks, Stainless Steel Finish	7331R	2

d.	
	$\checkmark$



19mm



POLE ONLY	_					Pole Length (cm)						
	-					120	180	240	300	500		
						1						
Dolo Sizo	120cm	15000	19000	24000	20000	26	0 cm	18000	50	0.000*		

Pole Size	120cm	150011	180011	240CIII	3000111	360011	4800111	500011
Component Pole Lengths	1 x 120	1 x 150	1 x 180	1 x 240	2 x 150	2 x 180	2 x 240	1 x 500
Joining Piece Needed					Yes	Yes	Yes	
Brackets Needed	2	2	2	2	3	3	3	
Packs of Rings (6 per pack, 10 rings per metre)	2	3	3	4	5	6	8	

\* This is a contract length designed to be cut down to size. It is available in stainless steel only.

19mm Pole	19mm Pole Only		Only	35mm Pole Only			
Stainless Steel Effect	1650R/size	Stainless Steel Effect	2130R/size	Stainless Steel Effect	2219R/size		
Spun Brass Effect	1656R/size	Spun Brass Effect	2136R/size	Spun Brass Effect	2511R/size		
Black Nickel Effect	2121R/size	Black Nickel Effect	2186R/size	Black Nickel Effect	2555R/size		
Chrome	1674R/ <mark>size</mark>	Chrome	2166R/size	Chrome	2538R/size		

FINIAL O	NLY (pair)	( <b>1</b> ) 19mm	28/35mm		19mm/28mm/35m	m		
19mm	19mm Ball (length 29mm)		19mm Bulle (length 57mm)	t	19mm Stud (length 26mm)	I	19mm Trump (length 47mm)	et
Finial Only	Stainless Steel Effect	1651R	Stainless Steel Effect	1653R	Stainless Steel Effect	1652R	Stainless Steel Effect	1654R
	Spun Brass Effect	1657R	Spun Brass Effect	1655R	Spun Brass Effect	1658R	Spun Brass Effect	1660R
	Black Nickel Effect	2126R	Black Nickel Effect	2129R	Black Nickel Effect	2127R	Black Nickel Effect	2128R
	Chrome	1675R	Chrome	1677R	Chrome	1676R	Chrome	1678R

28mm	28mm Ball (length 87mm)		28mm Bulle (length 91mm)	t	28mm Stud (length 34mm)		28mm Trump (length 63mm)	et
Finial Only	Stainless Steel Effect	2131R	Stainless Steel Effect	2133R	Stainless Steel Effect	2132R	Stainless Steel Effect	2134R
	Spun Brass Effect	2137R	Spun Brass Effect	2139R	Spun Brass Effect	2138R	Spun Brass Effect	2140R
	Black Nickel Effect	2187R	Black Nickel Effect	2189R	Black Nickel Effect	2188R	Black Nickel Effect	2190R
	Chrome	2167R	Chrome	2168R	Chrome	2169R	Chrome	2170R

35mm	35mm Ball (length 105mm)		35mm Bulle (length 91mm)		35mm Stud (length 34mm)		35mmTrump (length 63mm)	et
Finial Only	Stainless Steel Effect	2266R	Stainless Steel Effect	2268R	Stainless Steel Effect	2267R	Stainless Steel Effect	2269R
	Spun Brass Effect	2512R	Spun Brass Effect	2514R	Spun Brass Effect	2513R	Spun Brass Effect	2515R
	Black Nickel Effect	2556R	Black Nickel Effect	2557R	Black Nickel Effect	2558R	Black Nickel Effect	2559R
	Chrome	2542R	Chrome	2543R	Chrome	2540R	Chrome	2541R

## **BRACKETS ONLY**

Cylinder Brackets (single)	19mm cylinder b (projection 92mm (backplate diameter 4	1)	28mm cylinder b (projection 122mi (backplate diameter 6	m)	35mm cylinder bracket (projection 122mm) (backplate diameter 63mm)	
	Stainless Steel Effect	7337R	Stainless Steel Effect	1612R	Stainless Steel Effect	2198R
	Spun Brass Effect	7339R	Spun Brass Effect	1613R	Spun Brass Effect	2506R
	Black Nickel Effect	1686R	Black Nickel Effect	2179R	Black Nickel Effect	2550R
	Chrome	1668R	Chrome	2159R	Chrome	2523R
Cup Brackets (single)			28mm cup bra (projection 128 - 15 (backplate diameter s	5mm)		
			Stainless Steel Effect	1618R		
			Spun Brass Effect	1619R		
			Black Nickel Effect	2182R		
			Chrome	2162R		
Passover Bracket (single)	19mm (projection 74mm (backplate diameter 4	1) 4mm)	28mm (projection 114mm) (backplate diameter 60mm)		35mm (projection 110mm) (backplate diameter 64mm)	
	Stainless Steel Effect	7347R	Stainless Steel Effect	1622R	Stainless Steel Effect	2210R
	Spun Brass Effect	7348R	Spun Brass Effect	1623R	Spun Brass Effect	2509R
	Black Nickel Effect	1690R	Black Nickel Effect	2184R	Black Nickel Effect	2553R
	Chrome	1672R	Chrome	2164R	Chrome	2536R
Double Brackets (single)	<b>19/28mm</b> (projection (backplate diameter 6-	n 138mm) 4mm)				
	Stainless Steel Effect	1616R				
A Reserve America	Spun Brass Effect	1617R				
	Black Nickel Effect	2181R				
	Chrome	2161R				
Ceiling Bracket (single)	19mm (projection 72mm (backplate diameter 4:		28mm (projection 77mm (backplate diameter 4		35mm (projection 83mm (backplate diameter 4-	
	Stainless Steel Effect	1624R	Stainless Steel Effect	1626R	Stainless Steel Effect	2211R
Ш	Spun Brass Effect	1625R	Spun Brass Effect	1627R	Spun Brass Effect	2510R
	Black Nickel Effect	2120R	Black Nickel Effect	2185R	Black Nickel Effect	2554F
	Chrome	1673R	Chrome	2165R	Chrome	2537F
Recess Brackets (pair)	19mm (projection 30mm	,	28mm (projection 24mm	2)	35mm (projection 24mm	,

28mm & 35mm

19mm

Stainless Steel Effect	7343R	Stainless Steel Effect	1614R	Stainless Steel Effect	2199R
Spun Brass Effect	7344R	Spun Brass Effect	1615R	Spun Brass Effect	2507R
Black Nickel Effect	1688R	Black Nickel Effect	2180R	Black Nickel Effect	2551R
Chrome	1670R	Chrome	2160R	Chrome	2141R